

BRIDAS ACERO PLANAS según norma DIN

DN	"	mm.	DIN2573	DIN2576	DIN2502	DIN2503	
			PN 6 PLANA	PN 10 PLANA	PN 16 PLANA	PN 25 PLANA	PN 40 PLANA
			€	€	€	€	€
15	1/2"	21,3	1,80	2,95	2,95	4,65	4,55
20	3/4"	26,9	2,70	4,00	4,00	5,95	5,80
25	1"	33,7	3,25	4,75	4,75	6,00	5,95
32	1 1/4"	42,4	5,25	6,55	6,55	9,90	7,85
40	1 1/2"	48,3	5,95	7,50	7,50	11,30	8,95
50	2"	60,3	6,05	9,25	9,25	14,00	10,45
65	2 1/2"	76,1	7,45	11,70	11,70	16,20	13,00
80	3"	88,9	12,20	14,70	14,80	18,45	17,55
90	3 1/2"	101,6		22,00	22,00		
100	4"	108,0		16,30	16,30		
100	4"	114,3	14,20	15,70	15,70	22,50	23,30
125	5"	133,0		23,70	23,70		
125	5"	139,7	18,90	20,45	20,45	27,70	31,75
150	6"	159,0		24,55	24,55		
150	6"	168,3	21,40	25,90	25,90	36,55	40,75
175	7"	193,7		36,65	36,65		
200	8"	219,1	28,20	36,65	38,50	53,45	68,50
250	10"	273,0	40,85	44,45	50,05	78,00	108,70
300	12"	323,9	53,60	51,55	64,95	104,40	148,80
350	14"	355,6	68,80	83,10	115,35	163,85	269,70
400	16"	406,4	81,20	112,55	124,70	208,65	320,75
450	18"	457,0	94,45	151,45	215,55	267,95	
500	20"	508,0	108,55	165,80	217,80	331,95	375,70
600	24"	609,0		198,55	283,15		
700	28"	711,0		251,90	324,05		
800	32"	813,0		351,45	407,20		
900	36"	914,0		422,75	513,20		
1000	40"	1.016,0		521,30	739,05		

Material S235JR

BRIDAS ACERO CON CUELLO según norma DIN

DN	"	mm.	DIN2631		DIN2633		DIN2635	
			PN6 Cuello	PN10 Cuello	PN16 Cuello	PN25 Cuello	PN40 Cuello	
			€					
15	1/2"	21,3	2,95		5,90	5,90	6,05	6,05
20	3/4"	26,9	4,45		7,15	7,15	7,95	7,95
25	1"	33,7	5,65		8,15	8,15	11,55	11,55
32	1 1/4"	42,4	8,20		12,00	12,00	14,10	14,10
40	1 1/2"	48,3	8,90		13,25	13,25	17,50	17,50
50	2"	60,3	10,05		18,00	18,00	20,05	20,05
65	2 1/2"	76,1	11,30		19,70	19,70	24,05	24,05
80	3"	88,9	18,40			23,75	30,55	30,55
90	3 1/2"	108,0			34,45	34,45		
100	4"	114,3	22,00		29,70	29,70	41,95	41,95
125	5"	133,0			47,00	47,00		
125	5"	139,7	30,45		47,00	47,00	58,30	58,30
150	6"	159,0			57,80	57,80		
150	6"	168,3	38,70		49,90	49,90	75,90	75,90
175	7"	193,7						
200	8"	219,1	69,65		72,70	74,50	127,65	138,30
250	10"	273,0	96,70		104,70	111,05	183,20	248,50
300	12"	323,9	105,15		123,95	156,65	234,25	353,85
350	14"	355,6	138,95		177,15	222,15	354,40	562,45
400	16"	406,4	159,20		203,65	279,80	463,25	687,05
450	18"	457,0			345,65	417,95	579,40	718,60
500	20"	508,0	256,00		341,05	546,00	802,00	833,05
600	24"	609,0				674,95		
700	28"	711,0				689,25		
800	32"	813,0				904,05		
900	36"	914,0				1.092,05		
1000	40"	1.016,0				1.450,10		

Material P250GH

BRIDAS ACERO Roscadas DIN y para Portabridas PE

DN	"	mm.	Brida Plana	Brida Con
			B2576 Roscada PN10/16	B2566 Roscada PN16
			€	€
15	1/2"	21,3	5,55	4,55
20	3/4"	26,9	7,90	6,80
25	1"	33,7	9,30	8,65
32	1 1/4"	42,4	13,55	12,00
40	1 1/2"	48,3	15,55	13,40
50	2"	60,3	20,70	18,25
65	2 1/2"	76,1	22,95	21,55
80	3"	88,9	29,00	27,95
80	3"	88,9	29,00	
100	4"	114,3	30,80	30,30
125	5"	139,7	41,75	44,40
150	6"	168,3	50,25	57,80
200	8"	219,1		
200	8"	219,1		
250	10"	273,0		
300	12"	323,9		

DN	PE Ø EXT (mm)	Bridas zincadas para
		portabridas PE Serie Normal PN16
15	20	3,65
20	25	5,00
25	32	5,90
32	40	7,90
40	50	10,45
50		
50	63	11,15
65		
65	75	14,45
80	90	15,80
100	110	19,30
100	125	16,75
125	125	27,90
125	140	23,40
150	160	30,65
150	180	28,15
200	200	42,25
200	225	38,75
250	250	57,50
300	315	77,50
350	355	121,30
400	400	136,15